



ocùn[®]
colchicum autumnale



Made in rocks

Ocún [ots:un] is specialist for climbing harnesses, slings and crash pads. Climbing equipment with red blossom as a symbol gives its users certainty and brings joy from climbing. Thanks to precise elaboration, functionality, authenticity and pure design Ocún gained a lot of fans among climbing community. Ocún is successfully on the market more than 10 years. Company which besides climbing equipment Ocún produces also Rock Pillars climbing shoes has its headquarters and own manufacturing facilities in the Czech Republic. Today has around 100 dedicated employees out of which every single one is a master in his/her job. Harnesses, crash pads, quickdraw slings and other climbing equipment are being produced in atmosphere of high technology and deep user knowledge. Thanks to cooperation with our sponsored climbers, we bring innovation and set trends. Users of red blossom icon equipment are growing and can be found in 44 countries worldwide.



ocùn[®]
colchicum autumnale

Harnesses



Slings



Quickdraws



Carabiners



Belay devices



Via ferrata



Ropes



Crash pads



Chalk and tape



Chalk bags



Holds



Helmets



Bags



Slack lines



Clothing



Accessories



TWIST TECH

Art. 00031



Sizes	Waist (cm)	Legs (cm)
XS - S	60 - 80	45 - 55
M - L	70 - 95	52 - 67
L - XXL	80 - 105	57 - 72

Weight: 460 g

EN 12277 Type C



Comfortable 3-buckle all-round harness. New shaping of individual parts and waist geometry bring well balanced body position. Padded sandwich construction on leg loops brings comfort on belays. Initial Safety System (ISS) is especially designed to keep leg loops stability and to prevent false rope-tie in any case. Thanks to Movable Waist System (MWS) - we can reduce full size-scale to 3 single sizes by centering the waist belt. Twist Tech is equipped with 3 slide-lock buckles made of stainless steel which are rust resistant. Harness has 4 full-size gear loops and haul-bag loop in the back part of the waist belt. All used materials are of superior quality and guarantee extreme durability of this harness.

- Fully padded waist
- New geometry for optimum weight-force distribution
- Fully padded, adjustable „D“ leg loops with wider padding
- Initial Safety System (ISS) - safety joint system of leg loops and waist
- Movable Waist System (MWS)
- Belay loop in different color
- 1 x 30 mm stainless steel Slide-Lock buckle
- 2 x 20 mm stainless steel Slide-Lock buckle
- 4 gear loops + full-strength haul loop in the back

TWIST BASIC

Art. 00032



Sizes	Waist (cm)	Legs (cm)
XS - M	60 - 90	45 - 65
M - L	75 - 105	55 - 75

Weight: 440 g

EN 12277 Type C



All-round, light-weight climbing harness. Light weight 3-buckle all-round harness. Padded sandwich construction on leg loops brings comfort on belays. All used materials are of superior quality and guarantee extreme durability of the harness. Fully adjustable leg loops, removable at the back are matter-of-course. Initial Safety System (ISS) is especially designed to keep leg loops stability and to prevent false rope-tie in any case. Thanks to Movable Waist System (MWS) we can reduce full size-scale to 2 single sizes by centering the waist belt. Twist Basic is equipped with 3 slide-lock buckles made of stainless steel which are rust resistant.

- Fully padded waist
- Fully padded, adjustable „D“ leg loops
- Initial Safety System (ISS) - safety joint system of leg loops and waist
- Movable Waist System (MWS)
- Belay loop in different color
- 1 x 30 mm stainless steel Slide-Lock buckle
- 2 x 20 mm stainless steel Slide-Lock buckle
- 4 gear loops

TWIST LADY

Art. 00030



Sizes	Waist (cm)	Legs (cm)
XS - M	55 - 80	45 - 65
M - L	65 - 95	55 - 75

Weight: 420 g

EN 12277 Type C



Woman's version of a 3-buckle all-round harness with construction conformed to curves of women's figure. Padded sandwich construction on leg loops brings comfort on belays. All used materials are of superior quality and guarantee extreme durability of the harness. Fully adjustable leg loops, removable at the back are matter-of-course. Initial Safety System (ISS) is especially designed to keep leg loops stability and to prevent false rope-tie in any case. Thanks to Movable Waist System (MWS) we can reduce full size-scale to 2 single sizes by centering the waist belt. Twist Lady is equipped with 3 slide-lock buckles made of stainless steel which are rust resistant.

- Fully padded waist
- Fully padded, adjustable „D“ leg loops
- Initial Safety System (ISS) - safety joint system of leg loops and waist
- Movable Waist System (MWS)
- Belay loop in different color
- 1 x 30 mm stainless steel Slide-Lock buckle
- 2 x 20 mm stainless steel Slide-Lock buckle
- 4 gear loops

MOJAVE

Art. 00020



Sizes	Waist (cm)	Legs (cm)
XS	59 - 75	51
S	63 - 80	53
M	74 - 89	55
L	81 - 95	60
XL	86 - 99	66

Weight: 370 g

EN 12277 Type C



QUATTRO TECH

Art. 00000

NEW



Sizes	Waist (cm)	Legs (cm)
XS - M	65 - 90	45 - 67
L - XXL	80 - 105	52 - 72

Weight: 490 g

EN 12277 Type C



QUATTRO BASIC

Art. 00000

NEW



Sizes	Waist (cm)	Legs (cm)
XS - M	65 - 90	45 - 67
L - XXL	80 - 105	52 - 72

Weight: 460 g

EN 12277 Type C



Mojave is a light-weight 1-buckle sport climbing harness. Padded sandwich construction on leg loops brings sufficient comfort on belays. All used materials are of superior quality and guarantee extreme durability of the Mojave harness. Initial Safety System (ISS) is especially designed to keep leg loops stability and to prevent false rope-tie in any case. Belay loop in different color also eliminates this risk. Mojave is equipped with a slide-lock buckle made of stainless steel which is rust resistant.

- Fully padded waist
- Fully padded, adjustable „O“ leg loops
- Initial Safety System (ISS) - safety joint system of leg loops and waist
- Belay loop in different color
- 1 x 30 mm stainless steel Slide-Lock buckle
- 5 gear loops

Comfortable 4-buckle technical all-round harness. Main focus was brought on technicality and durability, for all those who need hard working harness. New shaping of individual parts and waist geometry bring well balanced body position. Padded sandwich construction on leg loops brings comfort on belays. Initial Safety System (ISS) is especially designed to keep leg loops stability and to prevent false rope-tie in any case. Quattro Tech is equipped with 4 slide-lock buckles made of stainless steel which are rust resistant. Harness has 6 full-size gear loops and haul-bag loop in the back part of the waist belt, as well as technical multipurpose gear holders on each side for e.g. ice screws. All used materials are of superior quality and guarantee extreme durability of this harness.

- Fully padded waist
- New geometry for optimum weight-force distribution
- Fully padded, adjustable „D“ leg loops with wider padding
- Initial Safety System (ISS) - safety joint system of leg loops and waist
- Belay loop in different color
- 2 x 30 mm stainless steel Slide-Lock buckle
- 2 x 20 mm stainless steel Slide-Lock buckle
- 6 gear loops + full-strength haul loop in the back

Quattro Basic is derived from the Twist line, having the same solid features. Light weight 4-buckle all-round harness. Padded sandwich construction on leg loops brings comfort on belays. All used materials are of superior quality and guarantee extreme durability of the harness. Fully adjustable leg loops, removable at the back are matter-of-course. Initial Safety System (ISS) is especially designed to keep leg loops stability and to prevent false rope-tie in any case. Quattro Basic is equipped with 4 slide-lock buckles made of stainless steel which are rust resistant. Full strength haul loop at the back part and ice screw holders on each side.

- Fully padded waist
- Fully padded, adjustable „D“ leg loops
- Initial Safety System (ISS) - safety joint system of leg loops and waist
- Belay loop in different color
- 2 x 30 mm stainless steel Slide-Lock buckle
- 2 x 20 mm stainless steel Slide-Lock buckle
- 4 gear loops + full-strength haul loop in the back

NEWTON

Art. 00019



Sizes	Waist (cm)	Legs (cm)
One size	60 - 110	45 - 70

Weight: 435 g

EN 12277 Type C



Newton is a comfortable harness of a simple construction, which especially beginning climbers appreciate. Sandwich construction on leg loops brings sufficient comfort on belays. All used materials are of superior quality and guarantee extreme durability of the Newton harness. Leg loops are fully adjustable and removable at the back. Belay loop is in different color to prevent false rope-tie. Thanks to a unique Movable Waist System (MWS) – we can reduce full size-scale to 1 single size by centering the waist belt. Newton harness is equipped with a slide-lock buckles made of stainless steel which is rust resistant.

- Fully padded waist
- Fully padded, adjustable „D“ leg loops
- Movable Waist System (MWS)
- Belay loop in different color
- 3 x 30 mm stainless steel Slide-Lock buckle
- 2 gear loops

COACH

Art. 00024



Coach is a webbing harness for all-round use. Its simple construction and versatility appreciate mostly beginning climbers and those who climb just casually. Who needs a versatile harness for casual indoor climbing, via ferratas and hiking, needs Coach.

- Webbing harness with adjustable „D“ leg loops
- 3 x 44 mm AL slide buckle
- Belay loop in different color
- 1 gear loop

Sizes	Waist (cm)	Legs (cm)
One size	40 - 125	40 - 70

Weight: 410 g

EN 12277 Type C



GLACIER

Art. 00025



Climbing harness designed for ice climbing, ski touring and mountaineering.

- Webbing harness with adjustable „D“ leg loops
- Extended belay loop for freedom of movement
- You can put the harness on and off, wearing ski or crampons
- Belay loop in different color
- 1 x 44 mm AL slide buckle
- 5 gear loops

Sizes	Waist (cm)	Legs (cm)
M	70 - 90	50 - 65
L	80 - 100	60 - 70
XL	90 - 110	65 - 75

Weight: 330 g

EN 12277 Type C



GYM

Art. 00026



Climbing harness purposed for rental or indoor training.

- Webbing harness with fully adjustable „D“ leg loops
- Initial Safety System (ISS) - safety joint system of leg loops and waist
- 3 x 44 mm safe AL click buckle
- Belay loop in different color
- 1 movable gear loop

Sizes	Waist (cm)	Legs (cm)
One size	45 - 125	45 - 80

Weight: 435 g

EN 12277 Type C



VARIANT

Art. 00027



Anatomically shaped chest harness.

- 44 mm webbing
- Adjustable
- Comfortable „X“ construction
- 2 x 44 mm click buckle
- 2 gear loops
- EN 12277 Type C
- Size: One

Weight: 308

EN 12277 Type D



BODYGUARD

Art. 00028



Full-body climbing harness intended for beginners and climbing on via ferratas.

- Fully adjustable
- 2 x 44 mm AL click buckle on chest
- 2 x 44 mm AL Click buckle on leg loops
- 2 gear loops

Sizes	Waist (cm)	Legs (cm)
One size	65 - 115	50 - 80

Weight: 530 g

EN 12277 Type A



MOJO

Art. 00029



Full-body harness for children.

Sizes	Waist (cm)	Legs (cm)
One size	30 - 55	23 - 50

Weight: 359 g

EN 12277 Type A



TWISTER KID

Art. 00023



All-round climbing harness, purposed for children or for extra small sizes.

- Fully padded waist
- Fully padded, adjustable „D“ leg loops
- Initial Safety System (ISS) - safety joint system of leg loops and waist
- Movable Waist System (MWS)
- Belay loop in different color
- 1 x 30 mm stainless steel Slide-Lock buckle
- 2 x 20 mm stainless steel Slide-Lock buckle
- 2 gear loops

Sizes	Waist (cm)	Legs (cm)
One size	50 - 75	40 - 50

Weight: 330 g

EN 12277 Type C



Quickdraw DYN 11 mm



- Dyneema webbing
- Width: 11 mm
- Strength: 22 kN
- Rubber sleeve inside secures bottom carabiner in place.
- Colors: assorted

10 cm	weight 7 g	Art. 00035
15 cm	weight 9 g	Art. 01597
20 cm	weight 12 g	Art. 01598

EN 566



Quickdraw PAD 16 mm



- Polyamide webbing
- Width: 16 mm
- Strength: 22 kN
- Rubber sleeve inside secures bottom carabiner in place.
- Colors: assorted

10 cm	weight 13 g	Art. 01593
15 cm	weight 16 g	Art. 01594
20 cm	weight 18 g	Art. 00033

EN 566



Quickdraw PAD 19 mm



- Polyamide webbing
- Width: 19 mm
- Strength: 22 kN
- Rubber sleeve inside secures bottom carabiner in place.
- Colors: assorted

10 cm	weight 15 g	Art. 01595
15 cm	weight 18 g	Art. 01596
20 cm	weight 21 g	Art. 00034

EN 566



Daisy Chain DYN 11 mm



- Dyneema webbing
- Width: 11 mm
- Strength: 22 kN
- Colors: assorted

100 cm	gold	weight 50 g	Art. 01625
115 cm	grey	weight 58 g	Art. 00043
135 cm	wine	weight 68 g	Art. 01624

EN 566



Daisy Chain PAD 19 mm



- Polyamide webbing
- Width: 19 mm
- Strength: 22 kN

100 cm	gold	weight 98 g	Art. 00042
115 cm	grey	weight 103 g	Art. 01622
135 cm	wine	weight 108 g	Art. 01623

EN 566



- Dyneema webbing
- Width: 11 mm
- Strength: 22 kN
- Colors: assorted

30 cm	blue	weight 14 g	Art. 01613
60 cm	gold	weight 26 g	Art. 01614
80 cm	grey	weight 36 g	Art. 01612
100 cm	violet	weight 44 g	Art. 01615
120 cm	wine	weight 52 g	Art. 00039
240 cm	blue	weight 100 g	Art. 01611

EN 566



- Dyneema webbing
- Width: 8 mm
- Strength: 22 kN
- Colors: assorted

30 cm		weight 12 g	Art. 01630
60 cm		weight 23 g	Art. 01632
80 cm		weight 30 g	Art. 01629
100 cm		weight 38 g	Art. 00045
120 cm		weight 45 g	Art. 01628
240 cm		weight 92 g	Art. 01631

EN 566



- Polyamide webbing
- Width: 16 mm
- Strength: 22 kN
- Colors: assorted

30 cm	wine	weight 25 g	Art. 01601
60 cm	gold	weight 46 g	Art. 00037
80 cm	grey	weight 66 g	Art. 01602
100 cm	assorted	weight 77 g	Art. 01605
120 cm	wine	weight 87 g	Art. 01604
240 cm	assorted	weight 168 g	Art. 01603

EN 566



- Polyamide webbing
- Width: 19 mm
- Strength: 22 kN
- Colors: assorted

30 cm	blue	weight 28 g	Art. 01606
60 cm	gold	weight 50 g	Art. 01607
80 cm	grey	weight 68 g	Art. 01609
100 cm	wine	weight 83 g	Art. 01610
120 cm	red	weight 98 g	Art. 01608
240 cm	assort.	weight 190 g	Art. 00038

EN 566



O-Sling DYN 11 mm



NAN-O-Sling DYN 8 mm



O-Sling PAD 16 mm



O-Sling PAD 19 mm



QD set K-LOCK DYN 11 mm

Art. 00087

- Anodized keylock carabiners
- Dyneema 11 mm webbing
- Carabiners strength: 23 kN | 8 kN, open gate 8 kN
- Quickdraw strength: 22 kN

Weight: 103 g

EN 566 (quickdraw), EN 12275 (carabiners) 

QD set K-LOCK PAD 16 mm

Art. 00086

- Anodized keylock carabiners
- Polyamide webbing, 16 mm wide
- Carabiners strength: 23 kN | 8 kN, open gate 8 kN
- Quickdraw strength: 22 kN

Weight: 108 g

EN 566 (quickdraw), EN 12275 (carabiners) 

QD set WIRE DYN 11 mm

Art. 00091

- Polished wire carabiners
- Dyneema webbing, 11 mm wide
- Carabiners strength: 24 kN | 8 kN, open gate 8 kN
- Quickdraw strength: 22 kN

Weight: 90 g

EN 566 (quickdraw), EN 12275 (carabiners) 

QD set WIRE PAD 16 mm

Art. 00087

- Polished wire carabiners
- Polyamide webbing, 16 mm wide
- Carabiners strength: 24 kN | 8 kN, open gate 8 kN
- Quickdraw strength: 22 kN

Weight: 94 g

EN 566 (quickdraw), EN 12275 (carabiners) 

QD set CLASSIC DYN 11 mm

Art. 00089

- Polished classic carabiners
- Dyneema webbing, 11 mm wide
- Carabiners strength: 24 kN | 8 kN, open gate 8 kN
- Quickdraw strength: 22 kN

Weight: 103 g

EN 566 (quickdraw), EN 12275 (carabiners) 

QD set CLASSIC PAD 19 mm

Art. 00088

- Polished classic carabiners
- Polyamide webbing, 19 mm wide
- Carabiners strength: 24 kN | 8 kN, open gate 8 kN
- Quickdraw strength: 22 kN

Weight: 109 g

EN 566 (quickdraw), EN 12275 (carabiners) 

STRAIGHT GATE K-Lock

Art. 00127

- Keylock
- Straight gate
- Anodized
- Strength: 23 kN | 8 kN, open gate 8 kN

Weight: 46 g

EN 12275 

BENT GATE K-Lock

Art. 00122

- Keylock
- Bent gate
- Anodized
- Strength: 23 kN | 8 kN, open gate 8 kN

Weight: 46 g

EN 12275 

STRAIGHT GATE

Art. 00126

- Straight gate
- Polished
- Strength: 24 kN | 8 kN, open gate 8 kN

Weight: 44 g

EN 12275 

BENT GATE

Art. 00121

- Bent gate
- Polished
- Strength: 24 kN | 8 kN, open gate 8 kN

Weight: 45 g

EN 12275 

WIRE GATE

Art. 00125

- Wire straight gate
- Polished
- Strength: 24 kN | 8 kN, open gate 8 kN

Weight: 39 g

EN 12275 

SCREW

Art. 00124

- „D" shaped carabiner
- Screw gate
- Polished
- Strength: 24 kN | 8 kN, open gate 8 kN

Weight: 52 g

EN 12275 



OVAL SCREW

Art. 00128

- Oval shaped
- Screw gate
- Polished
- Strength: 23 kN | 8 kN, open gate 6 kN

Weight: 76 g

EN 12275, EN 362



HMS

Art. 00123

- Screw gate
- Polished
- Strength: 23 kN | 9 kN, open gate 9 kN

Weight: 90 g

EN 12275



OVAL SCREW STEEL

Art. 00130

- Oval shaped
- Screw gate
- Silver zinc plated
- Strength: 25 kN

Weight: 161 g

EN 12275, EN 362



OVAL TWIST LOCK STEEL

Art. 00131

- Twistlock
- Silver zinc plated
- Strength: 25 kN

Weight: 197 g

EN 362



D-BINER SCREW STEEL

Art. 00132

- Screwgate
- Silver zinc plated
- Strength: 28 kN

Weight: 233 g

EN 362



D-BINER TWIST-LOCK STEEL

Art. 00133

- Twistlock
- Silver zinc plated
- Strength: 28 kN

Weight: 233 g

EN 362 



HMS SCREW STEEL

Art. 00134

- Screwgate
- Silver zinc plated
- Strength: 27 kN

Weight: 240 g

EN 362 



HMS TWIST LOCK STEEL

Art. 00135

- Twistlock
- Silver zinc plated
- Strength: 25 kN

Weight: 258 g

EN 362 



HANGER

Art. 00138

- Stainless steel
- Strength: 27 kN

Weight: 44 g



QUICK LINK

Art. 00139

- Stainless steel
- Screw gate
- Polished
- Diameter 8 mm
- Strength: 35 kN | 10 kN

Weight: 71 g

EN 12275, EN 362 



EIGHT Polished

Art. 00143

- Polished
- Strength: 25 kN
- Medium size

Weight: 102 g



EIGHT Anodized

Art. 00144

- Anodized
- Strength: 25 kN
- Medium size

Weight: 102 g



TUBER DUO

Art. 00145

- Anodized
- Colors: black, red, blue

Weight: 60 g



TUBER UNO

Art. 00147

- Anodized
- Colors: black, red, blue

Weight: 50 g



QC CHAIN SLING

NEW

Art. 00000

Technical belay sling for those who want to have freedom of adjusting their own belay point. Variable length without reducing the strength is the key feature. Strength of the whole QC Chain is 6 kN. Special webbing system makes the release very simple, differentiating this sling from others. Simple construction makes the use stupid-proof.

Weight: 100 g

EN 958



VIA FERRATA Y-form

Art. 00048

- Y construction
- Length: 110 cm
- Stretch webbing arms
- Safety keylock carabiners
- New lightweight brake

Weight: 490 g

EN 958



RIP 'N' STOP

NEW

Art. 00000

- Tear webbing fall absorber
- Palm key-lock carabiners
- Stretch webbing arms 50 - 90 cm
- Polyester case securing fall absorber
- Center loop for belay purposes

Weight 490 g

EN 958



GURU 9,8

Art. 00000

- Diameter 9,8 mm
- Number of falls (80 kg): 9
- Impact force: 7,6 kN
- Length: 50 m, 60 m, 70 m, 80 m

Weight 64 g/m

EN 892



MYSTIC 10,5

Art. 00149

- Diameter 10,5 mm
- Number of falls (80 kg): 9
- Impact force: 8,1 kN
- 200 m spool

Weight: 72 g/m

EN 892



PADDY DREAMTIME

Art. 00053

Dreamtime is a crash pad purposed for the most demanding boulderers. It covers 2 sqm of the ground so there is no space for any fear of fall. Thanks to its size it is the best outdoor double-bed you can imagine. Taco style with tarpaulin Plastel lay over brings the possibility of carrying your stuff without getting it soaked.

- Two time taco style folding
- Rounded corners
- Durable PES cover
- Rucksack carrying straps
- 50 x 30 cm starter carpet
- 2 x rubber molded handles
- 3 x aluminium buckle
- Open size - 200 x 100 x 10 cm

Weight: 7,9 kg



PADDY DOMINATOR

Art. 00052

Dominator is the real dominator among all crash pads. Best choice for top-level bouldering and demanding high balls. Suitable also for comfortable sleeping.

- Parallel folding
- Rounded corners
- Durable PES cover
- Rucksack and shoulder carrying straps
- 50 x 30 cm starter carpet
- 2 x rubber molded handles
- 2 x aluminium logo buckle
- Open size (2 ways) - 132 x 100 x 12,5 cm, 200 x 66 x 12,5 cm

Weight: 6,6 kg



PADDY MOONWALK

Art. 00051

All-round crash pad suitable for all kinds of bouldering as well as comfortable sleeping.

- Parallel folding
- Rounded corners
- Durable PES cover
- Rucksack and shoulder carrying straps
- 50 x 30 cm starter carpet
- 2 x rubber molded handles
- 2 x aluminium logo buckle
- Open size (2 ways) - 132 x 100 x 10 cm, 200 x 66 x 10 cm

Weight: 5,5 kg



PADDY ECLIPSE

Art. 00050

All-round, lightweight crash pad suitable for long-distance approaches or as an added protection to larger ones. Possible to use as a comfortable bed.

- Parallel folding
- 90° corners
- Durable PES cover
- Rucksack and shoulder carrying straps
- 2 x rubber molded handles
- 2 x aluminium logo buckle
- Open size (2 ways) - 100 x 100 x 7,5 cm, 200 x 50 x 7,5 cm

Weight: 3,5 kg



CARPET

Art. 00063

Size: 50 x 30 cm



100% organic magnesium carbonate has excellent friction ratings for the best performance on rocks, artificial climbing walls and other sports.

Chalk BALL 35 g

Art. 00158

Weight 35 g



Chalk CUBE 56 g

Art. 00159

Weight 56 g



Chalk DOSE 125 g

Art. 00160

Weight 125 g



Chalk RATTLE 250 g

Art. 00162

Weight 250 g



Chalk LIQUID 100 ml Tube

Art. 00161

- Liquid, quick-drying chalk in plastic tube.
- Contents 100 ml

Weight 100 g



TAPE 25 mm x 10 m

Art. 00163

Premium quality athletic tape for protecting of your fingers.

- Width: 25 mm
- Length: 10 m
- Excellent adhesive
- Material: 100% cotton

Weight: 56 g



FUNNY

Art. 00056

- Middle size
- Fully anatomic shape
- Material: cotton fabric
- Colors: assorted
- Elastic brush holder

Weight: 90 g



HAPPY

Art. 00057

- Middle size
- Fully anatomic shape
- Material: cotton fabric
- Colors: assorted
- Elastic brush holder

Weight: 95 g



MID

Art. 00058

- Middle size
- Classic cylinder shape
- Material: PES
- Colors: assorted
- Elastic brush holder

Weight: 93 g



BIG

Art. 00054

- Bigger version of Mid
- Classic cylinder shape
- Material: PES
- Colors: assorted
- Elastic brush holder

Weight: 110 g



CHALK BAG BELT

Art. 00066

- Nylon 16 mm webbing
- Color: black
- Adjustable snap DURAFLEX buckle

Weight: 16 g



Anatomic shapes that take care of your fingers and skin, purposed for demanding training, based on Polyester resin.

HOLDS SET 1 – pinches

Art. 00164

- Colors: black, white, green, red
- 10 pcs in the package
- 2 x XS, 2 x S, 2 x M, 2 x L, 2 x XL

Weight 3,6 kg



HOLDS SET 2 – slopers

Art. 00165

- Colors: black, white, green, red
- 10 pcs in the package
- 2 x XS, 2 x S, 2 x M, 2 x L, 2 x XL

Weight 3,8 kg



HOLDS SET 3 – jugs

Art. 00166

- Colors: black, white, green, red
- 10 pcs in the package
- 2 x XS, 2 x S, 2 x M, 2 x L, 2 x XL

Weight 3,6 kg



HOLDS SET 4 – edges

Art. 00167

- Colors: black, white, green, red
- 10 pcs in the package
- 2 x XS, 2 x S, 2 x M, 2 x L, 2 x XL

Weight 3,1 kg



PAIL

Art. 02073

Helmet for sport climbing and other vertical adventures.

- Anatomical shape
- High durability
- One size
- Color: white

Weight 365 g

EN 12492 



PAIL KID

Art. 00173

Climbing helmet for children.

- Anatomically shaped
- High durability
- One size
- Color: white

Weight 300 g

EN 12492 



PAIL COMBI

Art. 00170

Helmet for sport climbing and mountaineering.

- Anatomical shape
- High durability
- One size
- Color: orange

Weight 365 g

EN 12492 



PAIL INDUSTRY

Art. 00172

Helmet for work at heights and rescue operations.

- Anatomical shape
- High durability
- One size
- Color: white

Weight 370 g

EN 12492, EN 397 



PAIL TECH

Art. 00171

Lightweight helmet purposed for all kinds of vertical adventures.

- Anatomically shaped
- High durability
- One size
- Color: silver

Weight 330 g

EN 12492 



CASE 30

Art. 01637

Useful and functional rucksack for your climbing equipment.

- Capacity: 30 L
- Long back zipper for easy access
- Outside gear loops
- Small inside pocket for your wallet
- Material: CORDURA
- Zipper: YKK

**CASE 40**

Art. 00059

Useful and functional rucksack for your climbing equipment.

- Capacity: 40 L
- Long back zipper for easy access
- Outside gear loops
- Small inside pocket for your wallet
- Material: CORDURA
- Zipper: YKK

**MESS**

Art. 00060

All-round over-shoulder bag.

- Material: washable, tarpaulin-Plastel fabric
- Comfortable shoulder carrying strap
- Small inside pocket for your wallet
- 2 large zippered pockets
- Colors: black, yellow
- Zipper: YKK
- Buckles: DURAFLEX

**ROPE BAG**

Art. Cordura 00061, Art. Polyester 00062

Functional rope bag that keeps the rope clean and tangle free.

- Materials: Polyester or Cordura fabrics
- PES sheet for rope protecting
- Zipper: YKK
- Buckles: DURAFLEX
- Colors: assorted




SLACK LINE PRO

Art. 02018

Slack line for those who already have their own anchoring system. Includes buckle tightening system.

- 15 m slack line webbing with steel o-ring for length adjustment
- Steel buckle set
- Mesh carry bag
- Cordura reinforced tie-in points

Weight: 850 g



SLACK LINE PRO SET

Art. 02019

Full set including 2 oval carabiners and anchoring PAD o-slings.

- 15 m slack line webbing with steel o-ring for length adjustment
- Steel buckle set
- 2 x PAD o-slings 240 cm long for anchoring the slack line
- 3 x oval aluminium screw carabiners
- Mesh carry bag
- Cordura reinforced tie-in points

Weight: 1200 g



SLACK LINE TRICKY

Art. 00077

Basic slack line for those who already have their own anchoring system.

- 15 m slack line webbing with steel o-ring for length adjustment
- Mesh carry bag
- Cordura reinforced tie-in points

Weight: 225 g




SLACK LINE Tricky SET

Art. 00076

Full set - includes 3 oval Slack Line carabiners and anchor PAD o-slings.

- 15 m slack line webbing with steel slide buckle brake for adjusting the slack line length
- 2 x o-sling 240 cm long - for anchoring the slack line
- 3 x oval aluminium screw carabiner
- Mesh carry bag
- Cordura reinforced tie-in points

Weight: 350 g



JUMPY

Art. 00174

- 3/4 climbing shorts
- Colors: assorted
- Sizes: S, M, L, XL
- Fabric: 90% cotton, 10% Lycra



T-SHIRT

Art. 0000

- 3/4 climbing shorts
- Colors: assorted
- Sizes: women S, M, L
men M, L, XL
- Fabric: 90% cotton, 10% Lycra



LOGO BELT

Art. 00070

Belt with Ocún logo, in climbing style.

- 30 mm slide LOGO buckle
- 28 mm webbing

Weight 72 g



KEYHANGER

Art. 00067

Keyhanger in quickdraw style, with plastic carabiner.



KEYHOLDER

Art. 00068

Keyholder in quickdraw style.



KEYBINER

Art. 00069

Aluminium carabiner.

- Length: 70 mm
- Thickness: 6 mm
- Solid construction
- Anodized aluminium
- NOT FOR CLIMBING!



CRACKGLOVES

Art. 00064

- Fully anatomic 3D shape
- Microfiber stretch suede
- Quick system fastener
- High sensitive, adhesive rubber
- Sizes: S, M, L

Weight: 57 g



GEAR LOOP

Art. 00065

- Left/right sided
- 1 gear loop
- Anatomically shaped
- Comfortable padding

Weight 135 g



HAULBINER

Art. 01566

Plastic carabiner in quickdraw style.

- Material: plastic
- Colors: assorted
- NOT FOR CLIMBING!



SHOVEL TECH

Art. 00071

Telescopic shovel.

- Aluminium solid construction
- Telescopic „T“ handle
- Total length: 77 cm
- Blade: 24 x 24 cm

Weight: 650 g

LADDER

Art. 02004

Webbing ladder.

- 7 Cordura reinforced steps
- Length 185 cm

Weight 225 g

